Page 2 of 7

Amendment and Response Scrial No.:09/997,931 Confirmation No.: 5355

Filed: November 30, 2001

For: CIRCULAR DNA VECTORS FOR SYNTHESIS OF RNA AND DNA

Amendments to the Claims

This listing of claims replaces all prior versions, and listings, of claims in the aboveidentified application:

Listing of Claims

1-95. (Canceled)

- 96. (Previously Presented) A method for synthesizing an RNA oligonucleotide inside a cell comprising introducing into a cell a single-stranded circular oligonucleotide template comprising at least one copy of a nucleotide sequence complementary to the sequence of the RNA oligonucleotide, such that the circular oligonucleotide is processed intracellularly to yield an RNA oligonucleotide multimer comprising multiple copies of the RNA oligonucleotide wherein the circular oligonucleotide has about 15-1500 nucleotides wherein the cell is not located inside a living whole organism.
- 97. (Previously Presented) A method for synthesizing an RNA oligonucleotide inside a cell comprising introducing into a cell a single-stranded circular oligonucleotide template comprising at least one copy of a nucleotide sequence complementary to the sequence of the RNA oligonucleotide, such that the circular oligonucleotide is processed intracellularly to yield an RNA oligonucleotide multimer comprising multiple copies of the RNA oligonucleotide wherein the cell is a plant cell or an animal cell that is not located inside a living whole organism.
- 98. (Previously Presented) A method for synthesizing an RNA oligonucleotide inside a cell comprising introducing into a cell a single-stranded circular oligonucleotide template comprising at least one copy of a nucleotide sequence complementary to the sequence of the RNA oligonucleotide, such that the circular oligonucleotide is processed

Amendment and Response

Scrial No.:09/997.931 Confirmation No.: 5355 Filed: November 30, 2001

For: CIRCULAR DNA VECTORS FOR SYNTHESIS OF RNA AND DNA

Page 3 of 7

intracellularly to yield an RNA oligonucleotide multimer comprising multiple copies of the RNA oligonucleotide wherein the cell is a bacterial cell.

- 99. (Previously Presented) The method of claim 97 wherein the cell is a mammalian cell.
- 100. (Previously Presented) A method for synthesizing an RNA oligonucleotide inside a cell comprising introducing into a cell a single-stranded circular oligonucleotide template comprising at least one copy of a nucleotide sequence complementary to the sequence of the RNA oligonucleotide, such that the circular oligonucleotide is processed intracellularly to yield an RNA oligonucleotide multimer comprising multiple copies of the RNA oligonucleotide, the method further comprising cleaving the RNA oligonucleotide multimer to yield multiple copies of the RNA oligonucleotide wherein the cell is not located inside a living whole organism.
- 101. (Previously Presented) The method of claim 100 wherein the cleavage is autolytic.
- 102. (Previously Presented) The method of claim 100 wherein the RNA oligonucleotide is linear.
- 103. (Canceled)
- 104. (Previously Presented) The method of claim 100 wherein the RNA oligonucleotide is biologically active.
- 105. (Previously Presented) The method of claim 104 wherein the biologically active RNA oligonucleotide comprises a catalytic RNA, an antisense RNA, or a decoy RNA.
- 106-107. (Canceled)

Page 4 of 7

Amendment and Response

Serial No.:09/997,931 Confirmation No.: 5355 Filed: November 30, 2001

For CIRCULAR DNA VECTORS FOR SYNTHESIS OF RNA AND DNA

oligonucleotide comprises a ribozyme.

- 108. (Previously Presented) The method of claim 104 wherein the biologically active
- 109. (Previously Presented) The method of claim 108 wherein the ribozyme is a hairpin, hammerhead-motif, or hepatitis delta catalytic ribozyme.
- 110. (Previously Presented) The method of claim 108 wherein the ribozyme is capable of trans cleavage.

111-112. (Canceled)

- 113. (Previously Presented) A method for synthesizing an RNA oligonucleotide inside a cell comprising introducing into a cell a single-stranded circular oligonucleotide template comprising at least one copy of a nucleotide sequence complementary to the sequence of the RNA oligonucleotide, such that the circular oligonucleotide is processed intracellularly to yield an RNA oligonucleotide multimer comprising multiple copies of the RNA oligonucleotide, wherein a gene encoding an effective RNA polymerase operably linked to a promoter is co-introduced into the cell wherein the cell is not located inside a living whole organism.
- 114. (Previously Presented) The method of claim 113 wherein the RNA polymerase is T7 or E. coli polymerase.
- 115. (Previously Presented) A method for synthesizing an RNA oligonucleotide inside a cell comprising introducing into a cell a single-stranded circular oligonucleotide template comprising at least one copy of a nucleotide sequence complementary to the sequence of the RNA oligonucleotide, such that the circular oligonucleotide is processed

Amendment and Response

Serial No.:09/997.931 Confirmation No.: 5355 Filed: November 30, 2001

For: CIRCULAR DNA VECTORS FOR SYNTHESIS OF RNA AND DNA

Page 5 of 7

intracellularly to yield an RNA oligonucleotide multimer comprising multiple copies of the RNA oligonucleotide wherein the circular oligonucleotide template is introduced into the cell using direct injection, electroporation, heat shock, calcium phosphate treatment, lipid-mediated delivery, or cation-mediated delivery wherein the cell is not located inside a living whole organism.

116. (Canceled)

117. (Previously Presented) A method for synthesizing an RNA oligonucleotide inside a cell comprising introducing into a cell a single-stranded circular oligonucleotide template comprising at least one copy of a nucleotide sequence complementary to the sequence of the RNA oligonucleotide, such that the circular oligonucleotide is processed intracellularly to yield an RNA oligonucleotide multimer comprising multiple copies of the RNA oligonucleotide, wherein the method is performed in a cell explanted from a plant or animal.

118-119. (Canceled)

- 120. (Previously Presented) The method of claim 117 wherein the animal is a mammal.
- 121. (Previously Presented) A method for synthesizing an RNA oligonucleotide inside a cell comprising introducing into a cell a single-stranded circular oligonucleotide template comprising at least one copy of a nucleotide sequence complementary to the sequence of the RNA oligonucleotide, such that the circular oligonucleotide is processed intracellularly to yield an RNA oligonucleotide multimer comprising multiple copies of the RNA oligonucleotide, wherein the method is performed in cell culture.

122-123. (Canceled)